

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 01/12/2015 Revision date: 07/08/2022 Supersedes version of: 12/12/2021 Version: 6.0

Supplier

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : HRANICLEAN 8 Spray
UFI : 5DS2-Y0VR-F008-8CS1

Vaporizer : Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : For professional use only

Use of the substance/mixture : Manual cleaner for sensitive surfaces in a furniture industry.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Distributor

Hranipex Czech Republic k.s. Hranipex Ltd.

J. Rýznerové 97, Komorovice

Unit 2 Radial Park, Birmingham Business Park

CZ- 396 01 Humpolec Birmingham, B37 7YN
Czech Republic United Kingdom

T 565 501 210 T 0121 767 9180 - F 0121 782 6250

<u>hranipex@hranipex.cz</u> - <u>www.hranipex.cz</u> <u>hranipex@hranipex.co.uk</u> - <u>www.hranipex.co.uk</u> - <u>www.hranipex.co.uk</u>

E-mail address of competent person responsible for the SDS :

sds@regartis.com

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX Llandough	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA Edinburgh	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB Newcastle	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229 Skin corrosion/irritation, Category 2 H315



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 01/12/2015 Revision date: 07/08/2022 Supersedes version of: 12/12/2021 Version: 6.0

Skin sensitisation, Category 1 H317

Skin sensitisation, Category 1

Specific target organ toxicity – Single exposure, Category 3, Narcosis

Hazardous to the aquatic environment – Acute Hazard, Category 1

Hazardous to the aquatic environment – Chronic Hazard, Category 1

H410

Full text of H- and EUH-statements: see section 16

Note: Asp. Tox. H304 Not classified (CLP Annex I, 3.10.1.6.3 Classification of aerosol / mist products), see Section 11

Adverse physicochemical, human health and environmental effects

Extremely flammable aerosol. Pressurised container: May burst if heated. May cause drowsiness or dizziness. Causes skin irritation. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS07

GHS09

Signal word (CLP)

Hazard statements (CLP)

Contains

Danger
(R)-p-mentha-1,8-diene; d-limonene, Hydrocarbons C9-C10, n-alkanes, isoalkanes, cyclics,

< 2% aromatics

H222 - Extremely flammable aerosol.
 H229 - Pressurised container: May burst if heated.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H336 - May cause drowsiness or dizziness.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P261 - Avoid breathing Aerosols.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Other hazards which do not result in classification : Extremely flammable aerosol. Vapours may form explosive mixture with air.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 01/12/2015 Revision date: 07/08/2022 Supersedes version of: 12/12/2021 Version: 6.0

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics	EC-No.: 927-241-2 REACH-no: 01-2119471843-32	40 – 80	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 3, H412 EUH066, Note P
Ethanol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610-43	30 – 40	Flam. Liq. 2, H225 Eye Irrit. 2, H319
(R)-p-mentha-1,8-diene; d-limonene	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00-7	24 – 40	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H412
Isobutane	CAS-No.: 75-28-5 EC-No.: 200-857-2 EC Index-No.: 601-004-00-0	5 – 10	Flam. Gas 1, H220 Press. Gas, H280
Propane	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5	< 1	Flam. Gas 1A, H220 Press. Gas, H280

Comments

: Note P: The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 (Table 3.1) or the S-phrases (2-)23-24-62 (Table 3.2) shall apply. This note applies only to certain complex oil-derived substances in Part 3.

 $Product\ subject\ to\ CLP\ Article\ 1.1.3.7.\ The\ disclosure\ rules\ of\ the\ components\ is\ modified\ in\ this\ case.$

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

First-aid measures after skin contact

First-aid measures after eye contact

4.1. Description of first aid measures

First-aid measures general

: If you feel unwell, seek medical advice (show the label where possible). Never give anything by mouth to an unconscious person. First aider: Pay attention to self-protection!. Do not apply mouth-to-mouth resuscitation. In all cases of doubt, or when symptoms persist, seek medical attention. If vomiting occurs have person lean forward. Give artificial respiration if necessary. If breathing is difficult, trained personnel should give oxygen. Cardiac arrest: perform resuscitation.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.

 Wash skin with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If symptoms persist, call a physician.

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

07/08/2022 (Revision date) GB - en 3/16



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

lssue date: 01/12/2015 Revision date: 07/08/2022 Supersedes version of: 12/12/2021 Version: 6.0

First-aid measures after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of

normal use. Rinse mouth. Do NOT induce vomiting. Immediately call a POISON

CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after inhalation : Cough. Headache.

Symptoms/effects after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Alcohol resistant foam. Dry powder. Carbon dioxide. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Can form explosive mixtures with air. Heat may build pressure, rupturing closed containers,

spreading fire and increasing risk of burns and injuries.

Hazardous decomposition products in case of fire : Carbon monoxide. Carbon dioxide. Exposure to combustion or decomposition products can

be harmful to your health.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not breathe vapour/aerosol. No open flames. No smoking. Isolate from fire, if possible,

without unnecessary risk. Remove ignition sources. Evacuate area. Ensure adequate

ventilation. Avoid contact with skin and eyes.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Avoid breathing Aerosol.. Do not attempt to take action without suitable protective

equipment. Equip cleanup crew with proper protection. For further information refer to

section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Do not allow the mixture to enter into sewer, water system (underground water, surface water) or soil. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Ventilate spillage area.

Other information : Dispose of materials or solid residues at an authorized site.

07/08/2022 (Revision date) GB - en 4/16



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 01/12/2015 Revision date: 07/08/2022 Supersedes version of: 12/12/2021 Version: 6.0

6.4. Reference to other sections

(See section 7: Handling and Storage). Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

: Ensure adequate ventilation. Keep away from ignition sources (including static discharges). Additional hazards when processed

Do not pierce or burn, even after use. Hazardous waste due to potential risk of explosion.

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source. Eliminate all ignition sources if safe to do so. Store

> according to local legislation. Aerosols. Avoid contact with : combustibles and flammable materials. Use explosion-proof electrical, ventilating and lighting equipment. Take

precautionary measures against static discharge.

Hygiene measures Do not eat, drink or smoke when using this product. Remove contaminated clothes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking

and when leaving work. Wash contaminated clothing before reuse. Separate working

clothes from town clothes. Launder separately.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

: Keep only in the original container in a cool, well ventilated place away from : Heat sources. Storage conditions

Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place. Keep

container tightly closed. Keep cool.

Incompatible products : Strong acids, strong bases and strong oxidants.

Incompatible materials Flammable or combustible materials.

Information on mixed storage Storage class 2B

Storage area : Store away from heat.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Propane (74-98-6)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name Propan		
IOEL TWA 1800		
IOEL TWA [ppm] 1000 ppm		



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 01/12/2015 Revision date: 07/08/2022 Supersedes version of: 12/12/2021 Version: 6.0

Ethanol (64-17-5)			
United Kingdom - Occupational Exposure Limits			
Local name Ethanol			
WEL TWA (OEL TWA) [1] 1920 mg/m³			
WEL TWA (OEL TWA) [2] 1000 ppm			
Regulatory reference	Regulatory reference EH40/2005 (Fourth edition, 2020). HSE		

8.1.2. Recommended monitoring procedures

Monitoring methods	
Monitoring methods	Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents.

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. Wear recommended personal protective equipment.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Use splash goggles when eye contact due to splashing is possible. Tightly closed goggles (EN 166).

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing. Take off contaminated clothing.

Hand protection:

Wear protective gloves. Wash hands with water and soap

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR), Butyl rubber	6 (> 480 minutes)	> 0,3	3 (> 0.65)	EN 374

8.2.2.3. Respiratory protection

Respiratory protection:

In case of inadequate ventilation wear respiratory protection.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

lssue date: 01/12/2015 Revision date: 07/08/2022 Supersedes version of: 12/12/2021 Version: 6.0

Respiratory protection			
Device	Filter type	Condition	Standard
Aerosol mask	Type A, ABEK-P3, AX	Mist formation, Vapour protection	х

8.2.2.4. Thermal hazards

Thermal hazard protection:

Keep away from open flames, hot surfaces and sources of ignition.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

Do not breathe vapour/aerosol. Avoid contact with skin and eyes.

Other information:

Always wash hands after handling the product. Do not eat, drink or smoke during use. Wash protective equipment and clothing before reuse. Do not breathe aerosol.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Appearance : Aerosol.
Odour : Hydrocarbons.
Odour threshold : Not available
Melting point : Not applicable
Freezing point : -84 °C

Boiling point : 147 – 159 °C Hydrocarbons Flammability : Extremely flammable aerosol.

Explosive properties : Pressurised container: May burst if heated.

It does not have oxidising properties : Non oxidizing. Explosion limits : Not available Lower explosion limit : 3.3 vol % Upper explosion limit : 19 vol %

Flash point : 33 °C Hydrocarbons
Auto-ignition temperature : ≈ 200 Hydrocarbons
Decomposition temperature : Not available
pH : Not available

Viscosity, kinematic : 0.715 – 0.786 mm²/s Hydrocarbons

Viscosity, dynamic : 1.2 mPa.s Ethanol

Solubility : Insoluble in water. Soluble in oils/fats.

Partition coefficient n-octanol/water (Log Kow) : Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 1 kg/kg



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

lssue date: 01/12/2015 Revision date: 07/08/2022 Supersedes version of: 12/12/2021 Version: 6.0

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. May form flammable and explosive vapour-air mixture.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Heating may cause a fire or explosion.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Overheating. Do not expose to temperatures exceeding 50 °C/ 122 °F.

10.5. Incompatible materials

Strong acids, strong bases and strong oxidants.

10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature. In case of fire: smokes. Carbon oxides (CO and CO2).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Ethanol (64-17-5)		
LD50 oral rat 7000 mg/kg		
LD50 dermal rabbit	> 16000 mg/kg	
LC50 Inhalation - Rat	124.7 mg/l	

Hydrocarbons C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics		
LD50 oral rat > 5000 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg	
LC50 Inhalation - Rat (Dust/Mist) > 5000 mg/l/4h		

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

Ethanol (64-17-5)		
NOAEL	> 16000 ppm	
NOAEL	5200 mg/kg/24h	
STOT-single exposure	: May cause drowsiness or dizziness.	

Ethanol (64-17-5)		
LOAEC (inhalation, 30 min)	2.6 mg/l central nervous system	
LOAEC (inhalation)	9.4 mg/l lungs	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

lssue date: 01/12/2015 Revision date: 07/08/2022 Supersedes version of: 12/12/2021 Version: 6.0

ISSUE date: 01/12/2015	Revision date: 07/08/2022	Supersedes version of: 12/12/2021	version: 6.0		
Hydrocarbons C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics					
STOT-single exposure	May cause drowsin	ess or dizziness.			
STOT-repeated exposure	: Not classified (Base	ed on available data, the classification criteria are n	ot met)		
Aspiration hazard	: Not classified. (Bas	ed on available data, the classification criteria are	not met)		
Additional information	does not have to be CLP, ANNEX I, 3.1 Aerosol and mist for containers such as classifying these primay be aspirated. I be formed. On the pool may be formed pump sprayers is contained to be the pool may be formed pump sprayers is contained to be contained	ed on the market in the aerosol form. The effect is a labeled as Asp.Tox. H304. 0.1.6.3. Classification of aerosol/mistproducts orms of a substance or a mixture (product) are usual self-pressurised containers, trigger and pump sprayoducts is whether a pool of product is formed in the fine that or aerosol from a pressurised container is other hand, if a pressurised container dispenses product that may then be aspirated. Usually, the mist products and therefore, a pool may be formed that the echanism may be removed, and the contents are at classification of the substance or mixture shall be	ally dispensed in a syers. The key to be mouth, which then so fine, a pool may not coduct in a stream, a duced by trigger and then may be aspirated.		
HRANICLEAN 8 Spray					
Vaporizer	Aerosol				
Viscosity, kinematic	0.715 – 0.786 mm²	/s Hydrocarbons			
	<u> </u>	·			

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2. Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

: Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term (chronic)

: Very toxic to aquatic life with long lasting effects.

(ements)			
Ethanol (64-17-5)			
3.9 mg/l			
> 10000 mg/l			
9248 mg/l			
8800 mg/l			
1000 mg/l			
250 mg/l (Oncorhynchus mykiss)			
Hydrocarbons C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics			
10 – 30 mg/l			
[1] 22 – 46 mg/l			
> 1000 mg/l			



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 01/12/2015 Revision date: 07/08/2022 Supersedes version of: 12/12/2021 Version: 6.0

Hydrocarbons C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics		
NOEC chronic algae	< 1 mg/l	

12.2. Persistence and degradability

HRANICLEAN 8 Spray	
Persistence and degradability	No additional information available.

12.3. Bioaccumulative potential

HRANICLEAN 8 Spray	
Bioaccumulative potential	Bioaccumulation unlikely.

12.4. Mobility in soil

HRANICLEAN 8 Spray	
Ecology - soil	No additional information available.

12.5. Results of PBT and vPvB assessment

HRANICLEAN 8 Spray

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) Waste treatment methods

Product/Packaging disposal recommendations

Additional information Ecology - waste materials European List of Waste (LoW) code

- : Disposal must be done according to official regulations.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- Dispose of at authorized waste collection point. Dispose used or damaged aerosol cans at permitted disposal sites.
- : Flammable vapours may accumulate in the container.
- : Avoid release to the environment. Hazardous waste due to toxicity.
- : 14 06 03* other solvents and solvent mixtures

16 05 04* - gases in pressure containers (including halons) containing dangerous substances

17 04 05 - iron and steel

Safety Data Sheet



HRANICLEAN 8 Spray

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 01/12/2015 Revision date: 07/08/2022 Supersedes version of: 12/12/2021 Version: 6.0

HP Code

- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
 - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
 - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
 - HP5 "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.
 - HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.
 - HP13 "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.
 - HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 01/12/2015 Revision date: 07/08/2022 Supersedes version of: 12/12/2021 Version: 6.0

sue date: 01/12/2015	Revision date: 07/08/2022 Supersedes version of: 12/12/2021 Version			version: 6	
ADR	ADR IMDG IATA ADN		RID		
14.1. UN number or ID n	umber				
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950	
14.2. UN proper shipping name					
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS	
Fransport document descr	iption (ADR)				
UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.º ENVIRONMENTALLY HAZARDOUS	
14.3. Transport hazard o	class(es)				
2.1	2.1	2.1	2.1	2.1	
¥2	2	22	2 22	2	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental haz	ards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	
No supplementary information	on available		1		

14.6. Special precautions for user

Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11

Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP02

Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9

Transport category (ADR) : 2

Special provisions for carriage - Packages (ADR) : V14

Special provisions for carriage - Loading, unloading : CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2
Tunnel restriction code (ADR) : D

Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 959

Limited quantities (IMDG) : SP277 Excepted quantities (IMDG) : E0 Packing instructions (IMDG) : P207, LP02 Special packing provisions (IMDG) : PP87, L2 : F-D EmS-No. (Fire) : S-U EmS-No. (Spillage) Stowage category (IMDG) : None : SW1, SW22 Stowage and handling (IMDG) Segregation (IMDG) : SG69



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 01/12/2015 Revision date: 07/08/2022 Supersedes version of: 12/12/2021 Version: 6.0

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

Inland waterway transport

Classification code (ADN) : 5F

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : 5F

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID): 1LExcepted quantities (RID): E0Packing instructions (RID): P207, LP02Special packing provisions (RID): PP87, RR6, L2

Mixed packing provisions (RID) : MP9

Transport category (RID) : 2

Special provisions for carriage – Packages (RID) : W14

Special provisions for carriage - Loading, unloading : CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) : CE2 Hazard identification number (RID) : 23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on		
3(a)	HRANICLEAN 8 Spray ; Ethanol ; (R)-p-mentha-1,8-diene; d-limonene ; Hydrocarbons C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics		
3(b)	HRANICLEAN 8 Spray; Ethanol; (R)-p-mentha-1,8-diene; d-limonene; Hydrocarbons C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics		
3(c)	HRANICLEAN 8 Spray ; (R)-p-mentha-1,8-diene; d-limonene ; Hydrocarbons C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics		
40.	HRANICLEAN 8 Spray; Isobutane; Propane; Ethanol; (R)-p-mentha-1,8-diene; d-limonene; Hydrocarbons C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics		

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 01/12/2015 Revision date: 07/08/2022 Supersedes version of: 12/12/2021 Version: 6.0

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

VOC Directive (2004/42)

VOC content : 1 kg/kg

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP)

Council Directive 75/324/EEC of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers as amended (2013/10/EU a 2016/2037/EU)

United Kingdom

British National Regulations

: Directive 2008/98/EC of the European Parliament and of the Council on waste and $\,$

repealing certain Directives, in the valid wording.

Regulation (EC) No 1013/2006 of the European Parliament and of the Council on shipments

of waste, in the valid wording. UK Waste Regulations.

UK REACH. GB CLP.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Label elements	Modified	
4.1	Description of first aid measures	Modified	
7.1	Precautions for safe handling	Modified	
7.2	Conditions for safe storage, including any incompatibilities	Modified	
9.1	Physical and chemical properties	Modified	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 01/12/2015 Revision date: 07/08/2022 Supersedes version of: 12/12/2021 Version: 6.0

Indication of changes				
Section Changed item Change Comments				
11.1	Reason for no classification	Added		

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	

Data sources : ECHA Guidance on the compilation of safety data sheets

ECHA C&L Inventory database. Supplier's safety documents.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the

packaging. Safety training for chemicals handling.

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1	Flammable gases, Category 1	
Flam. Gas 1A	Flammable gases, Category 1A	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 01/12/2015 Revision date: 07/08/2022 Supersedes version of: 12/12/2021 Version: 6.0

10040 4410: 01/12/2010	TOVIOIOTI dato: 01/00/2022	Capercoace version er. 12/12/2021	V 01010111: 0:0	
Full text of H- and EUH-statements:				
H229	Pressurised container: May burst if heated.			
H280	Contains gas under pressure; may explode if heated.			
H304	May be fatal if swallowed and enters airways.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H319	Causes serious eye irritation.			
H336	May cause drowsiness or dizziness.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
Press. Gas (Comp.)	Gases under pressure : Compressed gas			
Press. Gas (Liq.)	Gases under pressure : Liquefied gas			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
Skin Sens. 1	Skin sensitisation, Category 1			
STOT SE 3	Specific target organ toxicity – Single exposure, Categ	ory 3, Narcosis		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Aerosol 1	H222;H229	On basis of test data
Skin Irrit. 2	H315	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H336	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Expert judgment

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.