

# RI 1810 Lube Pen

Issue date: 4/27/2020

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 5/11/2025 Supersedes version of: 11/2/2023

Version: 1.3

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
 Product name : RI 1810 Lube Pen  
 UFI : 046A-S078-J007-EYWA

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Main use category : Professional use  
 Use of the substance/mixture : Lubricant

### 1.3. Details of the supplier of the safety data sheet

#### Producer

Riepe GmbH & Co. KG GmbH  
 Theodor Rosenbaum Str. 28-30  
 32257 Bunde  
 Deutschland  
 T +49 (0) 5223-6874070  
[info@riepe.eu](mailto:info@riepe.eu), [www.riepe.eu](http://www.riepe.eu)

#### Distributor

Hranipex Czech Republic k.s.  
 J. Rýznerové 97, Komorovice  
 CZ 396 01 Humpolec  
 Czech Republic  
 T +420 565 501 211  
[cz-hranipex@hranipex.com](mailto:cz-hranipex@hranipex.com), [www.hranipex.cz](http://www.hranipex.cz)  
 E-mail address of competent person responsible for the SDS :  
[sds@regartis.com](mailto:sds@regartis.com)

#### Supplier

Hranipex Ltd.  
 Unit 2 Radial Park, Birmingham Business Park  
 Birmingham, B37 7YN  
 United Kingdom  
 T +44 121 767 9180, F 0121 782 6250  
[uk-hranipex@hranipex.com](mailto:uk-hranipex@hranipex.com), [www.hranipex.co.uk](http://www.hranipex.co.uk)

### 1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

# RI 1810 Lube Pen

Issue date: 4/27/2020

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 5/11/2025

Supersedes version of: 11/2/2023

Version: 1.3

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3

H226

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

Signal word (CLP)

: Warning

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.  
No smoking.P370+P378 - In case of fire: Use carbon dioxide (CO<sub>2</sub>), extinguishing powder, Water spray to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610-43-xxxx	25 – 50	Flam. Liq. 2, H225
butanone; ethyl methyl ketone	CAS-No.: 78-93-3 EC-No.: 201-159-0 EC Index-No.: 606-002-00-3 REACH-no: 01-2119457290-43	≤ 1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066

Full text of H- and EUH-statements: see section 16

# RI 1810 Lube Pen

Issue date: 4/27/2020

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Revision date: 5/11/2025

Supersedes version of: 11/2/2023

Version: 1.3

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Immediately remove contaminated clothing or footwear.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: The product is not considered to be irritating to the skin. Wash skin with soap and water.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Drink plenty of water. Do NOT induce vomiting. Get immediate medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide, extinguishing powder, Water spray or fog. For large fire: Alcohol resistant foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable liquid and vapour. The vapours are denser than air and may travel along the ground. Distance ignition possible.
Explosion hazard	: Vapours may form explosive mixture with air.
Hazardous decomposition products in case of fire	: Carbon oxides (CO and CO <sub>2</sub> ). Do not breathe fumes from fires or vapours from decomposition.

### 5.3. Advice for firefighters

Firefighting instructions	: Wear full protective clothing and breathing apparatus when dealing with all spillage (see section 8). Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Evacuate area. Prevent unauthorised access. Wear personal protective equipment.
------------------	---

#### For non-emergency personnel

Emergency procedures	: Avoid contact with skin, eyes and clothing. Do not breathe vapours. Ensure adequate ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Prevent the build-up of electrostatic charge.
----------------------	---

#### For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

### 6.2. Environmental precautions

Prevent liquid from entering sewers, watercourses, underground or low areas. Dilute with plenty of water. In case of loss of large quantities, advice local authorities.

# RI 1810 Lube Pen

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 5/11/2025 Supersedes version of: 11/2/2023

Issue date: 4/27/2020

Version: 1.3

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Ensure adequate ventilation. Non-sparking tools should be used. Collect up the product and place it in a spare container suitably labelled.

## 6.4. Reference to other sections

See section 7: Handling and Storage. Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only non-sparking tools. Wear personal protective equipment. Take precautionary measures to prevent the formation of static electricity.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Take precautionary measures against static discharge. Ensure adequate ventilation.

Storage conditions : Store in a well-ventilated place. Keep container tightly closed. Store in a dry place. Keep cool. Keep away from heat and direct sunlight. Keep away from ignition sources.

Incompatible materials : Store away from oxidation agents.

Information on mixed storage : Storage class: 3.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### National occupational exposure and biological limit values

Ethanol (64-17-5)	
United Kingdom - Occupational Exposure Limits	
Local name	Ethanol
WEL TWA (OEL TWA)	1920 mg/m <sup>3</sup>
	1000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
butanone; ethyl methyl ketone (78-93-3)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Butanone
IOEL TWA	600 mg/m <sup>3</sup>
	200 ppm
IOEL STEL	900 mg/m <sup>3</sup>
	300 ppm
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC

# RI 1810 Lube Pen

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 5/11/2025 Supersedes version of: 11/2/2023

Issue date: 4/27/2020

Version: 1.3

## butanone; ethyl methyl ketone (78-93-3)

### United Kingdom - Occupational Exposure Limits

Local name	Butan-2-one (methyl ethyl ketone)
WEL TWA (OEL TWA)	600 mg/m <sup>3</sup>
	200 ppm
WEL STEL (OEL STEL)	899 mg/m <sup>3</sup>
	300 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

### United Kingdom - Biological limit values

Local name	Butan-2-one (methyl ethyl ketone)
BMGV	70 µmol/l Parameter: butan-2-one - Medium: urine - Sampling time: Post shift
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

### DNEL and PNEC

#### Ethanol (64-17-5)

##### DNEL/DMEL (Workers)

Acute - local effects, inhalation	1900 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	343 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	950 mg/m <sup>3</sup>

##### DNEL/DMEL (General population)

Acute - local effects, inhalation	950 mg/m <sup>3</sup>
Long-term - systemic effects, oral	87 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	114 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	206 mg/kg bodyweight/day

##### PNEC (Water)

PNEC aqua (freshwater)	0.96 mg/l
PNEC aqua (marine water)	0.79 mg/l
PNEC aqua (intermittent, freshwater)	2.75 mg/l

##### PNEC (Sediment)

PNEC sediment (freshwater)	3.6 mg/kg dwt
PNEC sediment (marine water)	2.9 mg/kg dwt

##### PNEC (Soil)

PNEC soil	0.63 mg/kg dwt
-----------	----------------

##### PNEC (STP)

PNEC sewage treatment plant	580 mg/l
-----------------------------	----------

## butanone; ethyl methyl ketone (78-93-3)

### DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	1161 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	600 mg/m <sup>3</sup>

# RI 1810 Lube Pen

Issue date: 4/27/2020

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 5/11/2025

Supersedes version of: 11/2/2023

Version: 1.3

## butanone; ethyl methyl ketone (78-93-3)

### DNEL/DMEL (General population)

Long-term - systemic effects, oral	31 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	106 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	412 mg/kg bodyweight/day

### PNEC (Water)

PNEC aqua (freshwater)	55.8 mg/l
PNEC aqua (marine water)	55.8 mg/l

### PNEC (Sediment)

PNEC sediment (freshwater)	284.7 mg/kg dwt
PNEC sediment (marine water)	284.7 mg/kg dwt

### PNEC (Soil)

PNEC soil	22.5 mg/kg dwt
-----------	----------------

### PNEC (STP)

PNEC sewage treatment plant	709 mg/l
-----------------------------	----------

## 8.2. Exposure controls

### Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### Personal protection equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

### Eye and face protection

#### Eye protection:

Tightly closed goggles (EN 166).

### Skin protection

#### Skin and body protection:

Wear suitable protective clothing. Chemical resistant safety shoes

#### Hand protection:

Wear protective gloves. Standard EN 374 - Protective gloves against chemicals.

### Hand protection

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Wear gloves according to EN374 resistant to the solvent(s) in use.	Chloroprene rubber (CR)	2 (> 30 minutes)	> 0.5	x	EN ISO 374

### Respiratory protection

#### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection. Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust

### Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke when using this product. Immediately remove contaminated clothing or footwear. Wash hands before break and at end of works. Avoid contact with skin and eyes.

# RI 1810 Lube Pen

Issue date: 4/27/2020

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Revision date: 5/11/2025

Supersedes version of: 11/2/2023

Version: 1.3

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Transparent.
Odour	: Alcoholic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: -40 °C
Boiling point	: 82 °C
Flammability	: Not applicable
Explosive properties	: The product is not explosive. May form an explosive mixture with air.
Lower explosion limit	: 3.5 vol %
Upper explosion limit	: 15 vol % Ethanol
Flash point	: 28 °C
Auto-ignition temperature	: Not self-igniting
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Completely miscible with water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 57 hPa Ethanol
Vapour pressure at 50°C	: Not available
Density	: 0.92 g/cm <sup>3</sup> @ 20 °C
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Flammable liquid and vapour.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. On burning: release of carbon monoxide - carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

# RI 1810 Lube Pen

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 5/11/2025 Supersedes version of: 11/2/2023

Issue date: 4/27/2020

Version: 1.3

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)  
 Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

## Ethanol (64-17-5)

LD50 oral rat	10470 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	> 50 mg/l
LC50 Inhalation - Rat (Vapours)	> 20 mg/l/4h mouse

## butanone; ethyl methyl ketone (78-93-3)

LD50 oral rat	3300 mg/kg
LD50 dermal rabbit	5000 mg/kg
LC50 Inhalation - Rat	34.5 mg/l
LC50 Inhalation - Rat (Dust/Mist)	40 mg/l/4h

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)  
 Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)  
 Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)  
 Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  
 Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  
 Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  
 STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

## butanone; ethyl methyl ketone (78-93-3)

STOT-single exposure	May cause drowsiness or dizziness.
----------------------	------------------------------------

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  
 Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

## 11.2. Information on other hazards

### Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)  
 Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

## Ethanol (64-17-5)

LC50 - Fish [1]	8140 mg/l (Leuciscus idus) 48h
EC50 - Crustacea [1]	> 10000 mg/l (Daphnia magna)
EC50 72h - Algae [1]	275 mg/l (Chlorella vulgaris)

## butanone; ethyl methyl ketone (78-93-3)

LC50 - Fish [1]	> 3000 mg/l
EC50 - Crustacea [1]	1382 mg/l

## RI 1810 Lube Pen

Issue date: 4/27/2020

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 5/11/2025

Supersedes version of: 11/2/2023

Version: 1.3

### 12.2. Persistence and degradability

#### RI 1810 Lube Pen

Persistence and degradability	No additional information available.
-------------------------------	--------------------------------------

### 12.3. Bioaccumulative potential

#### RI 1810 Lube Pen

Bioaccumulative potential	No additional information available.
---------------------------	--------------------------------------

### 12.4. Mobility in soil

#### RI 1810 Lube Pen

Ecology - soil	No additional information available.
----------------	--------------------------------------

### 12.5. Results of PBT and vPvB assessment

#### RI 1810 Lube Pen

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
---

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
--

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

### 12.7. Other adverse effects

Other adverse effects : Do not discharge into drains or the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Do not dispose of waste into sewer. Do not remove as household garbage.
Product/Packaging disposal recommendations	: Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.
Additional information	: Flammable vapours may accumulate in the container.
HP Code	: HP3 - "Flammable:" – flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; – flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; – flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction; – flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa; – water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities; – other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

# RI 1810 Lube Pen

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 5/11/2025 Supersedes version of: 11/2/2023

Issue date: 4/27/2020

Version: 1.3

**SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 1170	UN 1170	UN 1170	UN 1170	UN 1170
<b>14.2. UN proper shipping name</b>				
ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	Ethanol solution	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
<b>Transport document description</b>				
UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III, (D/E)	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III	UN 1170 Ethanol solution, 3, III	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III
<b>14.3. Transport hazard class(es)</b>				
3	3	3	3	3
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-E EmS-No. (Spillage): S-D	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

**14.6. Special precautions for user**

**Overland transport**

- Classification code (ADR) : F1
- Special provisions (ADR) : 144, 601
- Limited quantities (ADR) : 5I
- Excepted quantities (ADR) : E1
- Packing instructions (ADR) : P001, IBC03, LP01, R001
- Mixed packing provisions (ADR) : MP19
- Portable tank and bulk container instructions (ADR) : T2
- Portable tank and bulk container special provisions (ADR) : TP1
- Tank code (ADR) : LGBF
- Vehicle for tank carriage : FL
- Transport category (ADR) : 3
- Special provisions for carriage - Packages (ADR) : V12
- Special provisions for carriage - Operation (ADR) : S2
- Hazard identification number (Kemler No.) : 30
- Orange plates :



## RI 1810 Lube Pen

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 4/27/2020

Revision date: 5/11/2025

Supersedes version of: 11/2/2023

Version: 1.3

Tunnel restriction code (ADR) : D/E  
EAC code : •2Y

### Transport by sea

Special provisions (IMDG) : 144, 223  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : P001, LP01  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T2  
Tank special provisions (IMDG) : TP1  
Stowage category (IMDG) : A  
Properties and observations (IMDG) : Colourless, volatile liquids. Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to 19%. Miscible with water.

### Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y344  
PCA limited quantity max net quantity (IATA) : 10L  
PCA packing instructions (IATA) : 355  
PCA max net quantity (IATA) : 60L  
CAO packing instructions (IATA) : 366  
CAO max net quantity (IATA) : 220L  
Special provisions (IATA) : A3, A58, A180  
ERG code (IATA) : 3L

### Inland waterway transport

Classification code (ADN) : F1  
Special provisions (ADN) : 144, 601  
Limited quantities (ADN) : 5 L  
Excepted quantities (ADN) : E1  
Carriage permitted (ADN) : T  
Equipment required (ADN) : PP, EX, A  
Ventilation (ADN) : VE01  
Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : F1  
Special provisions (RID) : 144, 601  
Limited quantities (RID) : 5L  
Excepted quantities (RID) : E1  
Packing instructions (RID) : P001, IBC03, LP01, R001  
Mixed packing provisions (RID) : MP19  
Portable tank and bulk container instructions (RID) : T2  
Portable tank and bulk container special provisions (RID) : TP1  
Tank codes for RID tanks (RID) : LGBF  
Transport category (RID) : 3  
Special provisions for carriage – Packages (RID) : W12  
Colis express (express parcels) (RID) : CE4  
Hazard identification number (RID) : 30

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# RI 1810 Lube Pen

Issue date: 4/27/2020

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 5/11/2025 Supersedes version of: 11/2/2023

Version: 1.3

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

##### EU restriction list (REACH Annex XVII)

Reference code	Applicable on	Entry title or description
3(a)	RI1810 Lube Pen ; Ethanol ; butanone; ethyl methyl ketone	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	butanone; ethyl methyl ketone	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

##### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Methylethylketone	Butanone	78-93-3	2914 12 00	Category 3		Annex I

#### National regulations

Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP)

#### United Kingdom

British National Regulations

: Regulation (EC) No 1013/2006 of the European Parliament and of the Council on shipments of waste, in the valid wording.  
 Directive 2008/98/EC of the European Parliament and of the Council on waste and repealing certain Directives, in the valid wording.  
 UK Waste Regulations.  
 UK REACH.  
 GB CLP.

# RI 1810 Lube Pen

Issue date: 4/27/2020

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 5/11/2025

Supersedes version of: 11/2/2023

Version: 1.3

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
6.4	Reference to other sections (8, 13)	<b>Modified</b>
10.6	Hazardous decomposition products	<b>Modified</b>
15.1	REACH Annex XVII	<b>Modified</b>

### Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DNEL	Derived-No Effect Level
DMEL	Derived Minimal Effect level
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOEC	No-Observed Effect Concentration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources : ECHA Guidance on the compilation of safety data sheets  
 ECHA C&L Inventory database. Supplier's safety documents.

Training advice : Provide SDS to employees. Follow general rules on handling chemical substances and/or mixtures.

### Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.

# RI 1810 Lube Pen

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Revision date: 5/11/2025 Supersedes version of: 11/2/2023

Issue date: 4/27/2020

Version: 1.3

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 3	H226	On basis of test data
--------------	------	-----------------------

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.