

Hraniclean 03

Issue date: 23/05/2017

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Revision date: 26/02/2025

Supersedes version of: 16/04/2023

Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Hraniclean 03
UFI : JXR2-F0ER-W00S-YNUQ

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Industrial/Professional use spec : For professional use only
Function or use category : The cleaner of not-hardened PUR adhesive in the furniture industry

1.3. Details of the supplier of the safety data sheet

Distributor

Hranipex Czech Republic k.s.
J. Rýznerové 97, Komorovice
CZ 396 01 Humpolec
Czech Republic
T +420 565 501 211

cz-hranipex@hranipex.com, www.hranipex.cz

E-mail address of competent person responsible for the SDS :

sds@regartis.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225
Serious eye damage/eye irritation, Category 2 H319
Specific target organ toxicity – Single exposure, Category 3, H336
Narcosis

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. May cause drowsiness or dizziness. Causes serious eye irritation.

Hraniclean 03

Issue date: 23/05/2017

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Revision date: 26/02/2025


Supersedes version of: 16/04/2023

Version: 2.0

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Contains

: Ethyl acetate

Hazard statements (CLP)

: H225 - Highly flammable liquid and vapour.

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness.

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.

P262 - Do not get in eyes, on skin, or on clothing.

P264 - Wash hands, exposed areas thoroughly after handling.

P280 - Wear protective gloves, protective clothing.

P310 - Immediately call a doctor.

P370+P378 - In case of fire: Use dry extinguishing powder, sand, carbon dioxide (CO₂) to extinguish.

EUH-statements

: EUH066 - Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethyl acetate	CAS-No.: 141-78-6 EC-No.: 205-500-4 EC Index-No.: 607-022-00-5 REACH-no: 01-2119475103-46	30 – 98	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066
(2-Methoxymethylethoxy)-propanol	CAS-No.: 34590-94-8 EC-No.: 252-104-2 REACH-no: 01-2119450011-60	8	Not classified
Glycerol	CAS-No.: 56-81-5 EC-No.: 200-289-5	1 – 3	Not classified

Full text of H- and EUH-statements: see section 16

Hraniclean 03

Issue date: 23/05/2017

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Revision date: 26/02/2025

Supersedes version of: 16/04/2023

Version: 2.0

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Take care of your own safety. If you experience any health problems or if you are in doubt, inform your doctor and provide him / her with information from this Safety Data Sheet. Life-threatening conditions require resuscitation. In case of unconsciousness place the affected person in a stabilized position on the side, with a slightly bowed head, and take care of the passage of the airways. Heart arrest - Immediately perform an indirect heart massage.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Rinse and then wash skin thoroughly with water and soap. Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Drink 0,5l of water. Do not induce vomiting. Seek medical advice immediately and show this container or label.
First-aid measures for first aider	: No action shall be taken without appropriate training or involving any personal risk.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after inhalation	: May cause respiratory irritation. Irritates mucous membranes. . May affect central nervous system. Symptoms include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.
Symptoms/effects after skin contact	: Prolonged or repeated contact may cause skin to become dry.
Symptoms/effects after eye contact	: Causes eye irritation.
Symptoms/effects after ingestion	: Ingestion may cause nausea and vomiting. Abdominal pain.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Dry powder. Alcohol-resistant foam. Carbon dioxide. Water spray or fog.
Unsuitable extinguishing media	: Strong water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: Vapours are heavier than air and may spread along floors. Can form explosive mixtures with air.
Hazardous decomposition products in case of fire	: On burning: release of carbon monoxide - carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

5.3. Advice for firefighters

Firefighting instructions	: Eliminate all ignition sources if safe to do so. Cool down the containers exposed to heat with a water spray. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Prevent fire fighting water from entering the environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Remove all sources of ignition. Avoid breathing vapours. Avoid contact with skin and eyes.
----------------------	--

Hraniclean 03

Issue date: 23/05/2017

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Revision date: 26/02/2025

Supersedes version of: 16/04/2023

Version: 2.0

For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing. Concerning personal protective equipment to use, see section 8.

6.2. Environmental precautions

Do not allow the mixture to enter into sewer, water system (underground water, surface water) or soil.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect all waste in suitable and labelled containers and dispose according to local legislation. Use non-sparking tools. Ensure adequate ventilation. After cleaning, flush traces away with water. Notify authorities if product enters sewers or public waters.

6.4. Reference to other sections

See section 7: Handling and Storage. Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Wear personal protective equipment. Keep container tight closed. Provide local exhaust or general room ventilation.

Hygiene measures

: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Ground/bond container and receiving equipment.

Storage conditions

: Store in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight.

Incompatible products

: Strong oxidizing agents.

Storage temperature

: 5 – 25 °C

Information on mixed storage

: Storage class: 3.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Ethyl acetate (141-78-6)

EU - Indicative Occupational Exposure Limit (IOEL)

Local name	Ethyl acetate
IOEL TWA	734 mg/m ³
	200 ppm
IOEL STEL	1468 mg/m ³
	400 ppm

Hraniclean 03

Issue date: 23/05/2017

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 26/02/2025

Supersedes version of: 16/04/2023

Version: 2.0

Ethyl acetate (141-78-6)

Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
----------------------	------------------------------------

Ireland - Occupational Exposure Limits

Local name	Ethyl acetate
OEL TWA	734 mg/m ³ 200 ppm
OEL STEL	1468 mg/m ³ 400 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024

(2-Methoxymethylethoxy)-propanol (34590-94-8)**EU - Indicative Occupational Exposure Limit (IOEL)**

Local name	(2-Methoxymethylethoxy)-propanol
IOEL TWA	308 mg/m ³ 50 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC

Ireland - Occupational Exposure Limits

Local name	(2-Methoxymethylethoxy)-1-propanol [Dipropylene glycol methyl ether]
OEL TWA	308 mg/m ³ 50 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values), Skin (Substances which have the capacity to penetrate intact skin when they come in contact with it and be absorbed into the body. A substantial contribution to the total body burden via dermal exposure is possible)
Regulatory reference	Chemical Agents Code of Practice 2024

DNEL and PNEC**(2-Methoxymethylethoxy)-propanol (34590-94-8)****DNEL/DMEL (Workers)**

Long-term - systemic effects, dermal	283 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	308 mg/m ³

DNEL/DMEL (General population)

Long-term - systemic effects, oral	36 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	37.2 mg/m ³
Long-term - systemic effects, dermal	121 mg/kg bodyweight/day

PNEC (Water)

PNEC aqua (freshwater)	19 mg/l
PNEC aqua (marine water)	1.9 mg/l
PNEC aqua (intermittent, freshwater)	190 mg/l

PNEC (Sediment)

PNEC sediment (freshwater)	70.2 mg/kg dwt
----------------------------	----------------

Hraniclean 03

Issue date: 23/05/2017

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 26/02/2025

Supersedes version of: 16/04/2023

Version: 2.0

(2-Methoxymethylethoxy)-propanol (34590-94-8)

PNEC sediment (marine water)	7.02 mg/kg dwt
------------------------------	----------------

PNEC (Soil)

PNEC soil	2.74 mg/kg dwt
-----------	----------------

PNEC (STP)

PNEC sewage treatment plant	4168 mg/l
-----------------------------	-----------

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Vacuum with an equipment that avoids ignition risk.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Eye and face protection

Eye protection:

Use eye protection according to EN 166. tightly fitting safety goggles

Skin protection

Skin and body protection:

Wear suitable protective clothing. Chemical resistant safety shoes. Chemical resistant apron

Hand protection:

Standard EN 374 - Protective gloves against chemicals.

Hand protection

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Wear gloves according to EN374 resistant to the solvent(s) in use.	Nitrile rubber (NBR)	3 (> 60 minutes)	>0.3 mm	x	EN ISO 374

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Half mask with filter against organic vapors. Self-contained breathing apparatus if exposure limits are exceeded or in poorly ventilated areas. Recommended: Filter A (brown). Recommended: Filter AX (brown).

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Always wash hands after handling the product. Avoid contact with skin, eyes and clothing. Do not breathe vapour/aerosol. Do not eat, drink or smoke in areas where product is used. Remove all contaminated clothing and footwear.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: Fruity.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: < -70 °C
Boiling point	: 77 – 78 °C
Flammability	: Not applicable

Hraniclean 03

Issue date: 23/05/2017

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision date: 26/02/2025

Supersedes version of: 16/04/2023

Version: 2.0

Explosive properties	: No data available.
It does not have oxidising properties	: Non oxidizing.
Lower explosion limit	: 2 vol %
Upper explosion limit	: 11.4 vol %
Flash point	: -3 °C
Auto-ignition temperature	: 460 °C
Decomposition temperature	: Not available
pH	: Insoluble in water
Viscosity, kinematic	: 0.489 mm ² /s
Viscosity, dynamic	: 0.44 mPa·s
Solubility	: partly soluble.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 10 kPa
Vapour pressure at 50°C	: Not available
Density	: 0.9 g/cm ³ @ 20 °C (± 1,5 %)
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information**Other safety characteristics**

VOC content	: 0.99 kg/kg
Total organic carbon (TOC)	: 0,55 kg/kg

SECTION 10: Stability and reactivity**10.1. Reactivity**

Highly flammable liquid and vapour. The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts with (strong) oxidizers.

10.4. Conditions to avoid

Protect from sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

Hraniclean 03	
LD50 oral rat	5620 mg/kg
LD50 dermal rat	> 20 mg/kg
LC50 Inhalation - Rat	45 mg/l 2h

Hraniclean 03

Issue date: 23/05/2017

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision date: 26/02/2025

Supersedes version of: 16/04/2023

Version: 2.0

(2-Methoxymethylethoxy)-propanol (34590-94-8)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	9510 mg/kg
LC50 Inhalation - Rat	3.35 mg/l

Glycerol (56-81-5)

LD50 oral rat	12600 mg/kg
LD50 dermal rat	> 10000 mg/kg

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: May cause drowsiness or dizziness.

Ethyl acetate (141-78-6)

STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

Hraniclean 03

Viscosity, kinematic	0.489 mm²/s
----------------------	-------------

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %
--	--

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

Hraniclean 03

LC50 - Fish [1]	270 – 330 mg/l
EC50 - Crustacea [1]	> 3090 mg/l
EC50 72h - Algae [1]	> 15 mg/l

(2-Methoxymethylethoxy)-propanol (34590-94-8)

LC50 - Fish [1]	> 1000 mg/l (Poecilia reticulata)
EC50 - Crustacea [1]	1919 mg/l (Daphnia magna)
EC50 - Crustacea [2]	> 1000 mg/l Semi-static system
EC50 72h - Algae [1]	6999 mg/l (Skeletonekema costatum)
ErC50 algae	969 mg/l (Pseudokirchneriella subcapitata)

Hraniclean 03

Issue date: 23/05/2017

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Revision date: 26/02/2025

Supersedes version of: 16/04/2023

Version: 2.0

(2-Methoxymethylethoxy)-propanol (34590-94-8)

LOEC (chronic) > 0.5 mg/l

NOEC (chronic) > 0.5 mg/l

Glycerol (56-81-5)

LC50 - Fish [1] > 5000 mg/l (Carassius auratus)

EC50 - Other aquatic organisms [1] > 10000 mg/l microorganisms

EC50 72h - Algae [1] > 10000 mg/l (Scenedesmus subspicatus)

12.2. Persistence and degradability**Hraniclean 03**

Persistence and degradability Readily biodegradable.

(2-Methoxymethylethoxy)-propanol (34590-94-8)

Persistence and degradability Rapidly degradable

Biodegradation 75 % 28d, OECD 301F

12.3. Bioaccumulative potential**Hraniclean 03**

Bioaccumulative potential No data available.

(2-Methoxymethylethoxy)-propanol (34590-94-8)

Bioconcentration factor (BCF REACH) < 100

Partition coefficient n-octanol/water (Log Pow) 1.01

12.4. Mobility in soil**Hraniclean 03**

Ecology - soil No data available.

(2-Methoxymethylethoxy)-propanol (34590-94-8)

Organic Carbon Normalized Adsorption Coefficient (Log Koc) 0.28

12.5. Results of PBT and vPvB assessment**Hraniclean 03**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

Hraniclean 03

Issue date: 23/05/2017

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 26/02/2025

Supersedes version of: 16/04/2023

Version: 2.0

12.7. Other adverse effects

Glycerol (56-81-5)

Other information

Avoid release to the environment.






SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Dispose in accordance with corresponding regulations. Disposal of defect or damaged product is performed in accordance with instruction from manufacturer or in accordance with local regulation. Disposal may be performed only by the authorized person. For the classification of waste and its removal corresponding to the waste producer.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Do not dispose of waste into sewer.
Product/Packaging disposal recommendations	: Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Do not dispose of the packaging without first carrying out the necessary cleaning.
Additional information	: Flammable vapours may accumulate in the container.
Ecological waste information	: Avoid release to the environment.
European List of Waste (LoW, EC 2000/532)	: 07 01 04* - other organic solvents, washing liquids and mother liquors

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 1173	UN 1173	UN 1173	UN 1173	UN 1173
14.2. UN proper shipping name				
ETHYL ACETATE	ETHYL ACETATE	Ethyl acetate	ETHYL ACETATE	ETHYL ACETATE
Transport document description				
UN 1173 ETHYL ACETATE, 3, II, (D/E)	UN 1173 ETHYL ACETATE, 3, II (-4°C c.c.)	UN 1173 Ethyl acetate, 3, II	UN 1173 ETHYL ACETATE, 3, II	UN 1173 ETHYL ACETATE, 3, II
14.3. Transport hazard class(es)				
3	3	3	3	3
				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-E EmS-No. (Spillage): S-D	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

Hraniclean 03

Issue date: 23/05/2017

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878


Revision date: 26/02/2025

Supersedes version of: 16/04/2023

Version: 2.0

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: F1
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	: 

Tunnel restriction code (ADR)	: D/E
-------------------------------	-------

Transport by sea

Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
Stowage category (IMDG)	: B
Flash point (IMDG)	: -4°C c.c.
Properties and observations (IMDG)	: Colourless liquid with a fragrant odour. Flashpoint: -4°C c.c. Explosive limits: 2.18% to 11.5%. Immiscible with water.

Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
ERG code (IATA)	: 3L

Inland waterway transport

Classification code (ADN)	: F1
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1

Rail transport

Classification code (RID)	: F1
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: LGBF

Hraniclean 03

Issue date: 23/05/2017	according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878	Revision date: 26/02/2025	Supersedes version of: 16/04/2023	Version: 2.0
Transport category (RID)	:	2		
Colis express (express parcels) (RID)	:	CE7		
Hazard identification number (RID)	:	33		

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)

Reference code	Applicable on	Entry title or description
3(a)	Hraniclean 03 ; Ethyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Hraniclean 03 ; Ethyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 0.99 kg/kg

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Hraniclean 03

Issue date: 23/05/2017

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 26/02/2025

Supersedes version of: 16/04/2023

Version: 2.0

SECTION 16: Other information

Indication of changes

Section	Changed item	Comments
2.2	Precautionary statements (CLP)	Modified
3	Composition/information on ingredients	Modified
4.1	First-aid measures for first aider	Added
4.1	First-aid measures after inhalation	Modified
4.1	First-aid measures general	Modified
4.3	Other medical advice or treatment	Modified
5.2	Explosion hazard	Modified
5.2	Fire hazard	Modified
6.3	Other information	Removed
6.3	Methods for cleaning up	Modified
6.4	Reference to other sections (8, 13)	Modified
8.2	Respiratory protection	Modified
8.2	Eye protection	Modified
8.2	Other information	Added
9	pH	Added
9	Other properties	Added
9	It does not have oxidising properties	Modified
9	Relative vapour density at 20°C	Removed
9	Density	Modified
12.3	Bioaccumulative potential	Modified
12.4	Ecology - soil	Modified
15.1	REACH Annex XVII	Modified

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
DPD	Dangerous Preparations Directive 1999/45/EC
DSD	Dangerous Substances Directive 67/548/EEC
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration

Hraniclean 03

Issue date: 23/05/2017

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision date: 26/02/2025

Supersedes version of: 16/04/2023

Version: 2.0

Abbreviations and acronyms:

LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources

: ECHA Guidance on the compilation of safety data sheets
ECHA C&L Inventory database. Supplier's safety documents.

Training advice

: Provide SDS to employees. Follow general rules on handling chemical substances and/or mixtures.

Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 2	H225	On basis of test data
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H336	Calculation method

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.